



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

| | |
|----------------------|--|
| LISTING No.: | 8140-2022:0003 |
| CATEGORY: | 8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I) |
| LISTEE: | BODYGUARD WOOD PRODUCTS C/- 8385 White Oak Avenue, Rancho Cucamonga, CA, 91730 Contact: Spraggon, Wayne +64 27 801 4101 Email: waynes@bodyguardwood.com |
| DESIGN: | Bodyguard® 2 lap siding Nos. 430, preservative treated pine, minimum 1x6 inches dimension, with no through holes or loose knots, installed over oriented strand board (OSB) with a 7/16" minimum thickness. For horizontal installation only. Refer to the manufacturer's installation instructions and product data sheets. |
| RATING: | Compliance in accordance with Chapter 7A of the California Building Code. |
| INSTALLATION: | In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction. |
| MARKING: | Listee name. Model number, rating and SFM label. |
| APPROVAL: | Listed as exterior siding for use in the Wildland Urban Interface areas. |
| NOTES: | |

Issued 05-16-11
bh



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: 05/06/2024

Listing Expires: 06/30/2025

Authorized By: **David Castillo**, Program Coordinator
Fire Engineering & Investigations Division